

## Area 1 – Engine Compartment



**INCLUDES:** engine, fuel system (carburetor and fuel pump and lines), underside of hood, cowl and radiator lacings, engine pans, engine supports (mounts), and correct finishes.

**DOES NOT INCLUDE:** cooling system (inlet/outlet castings and gaskets, pump, fan, hoses, clamps, radiator), electrical system (generator, starter distributor, coil, terminal box, spark plugs, all wiring and connectors), exhaust system (manifold, gasket, exhaust pipe), steering column, nor any accessories (i.e. heaters).

**TOTAL POINTS 40**

### GENERAL

Finish, workmanship, plating, materials and correctness should be foremost in judging. If any area of the engine compartment has, grease, oil, dirt, or water spots, take half of the points off that is allotted for that area. For authenticity of the various components judged in this area, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.

<b><u>ENGINE AREA</u></b> (Must be A, B, or G-28 block)	<b><u>MAX. PTS.</u></b>	<b><u>SCORE</u></b>	<b><u>CODE</u></b>
Engine block (Any paint color allowed)	<u>10</u>	_____	_____
Oil breather pipe (Must be A or B)	<u>2</u>	_____	_____
Head (Any <u>original</u> aftermarket heads like Miller/Cragar up to 1939 receive full points Later reproductions like Brumfield, Miller, Riley, etc. receive 50% reduction in points.)	<u>10</u>	_____	_____
Engine mounts (Any type offered up to 1939)	<u>3</u>	_____	_____
<b><u>FUEL SYSTEM</u></b>			
Carburetor (1928-1939 carburetors only) Newer Carburetors like the Weber receive 0 pts.)	<u>5</u>	_____	_____



Intake manifold	<u>2</u>	_____	_____
Fuel lines (Fuel line from firewall to engine must have flexible section to absorb vibration. Any type of fuel shut-off valve okay, no leaks)	<u>2</u>	_____	_____
<b><u>FIREWALL, UNDERSIDE OF HOOD, LACING</u></b>			
Underside of hood (same color as top of hood)	<u>2</u>	_____	_____
Cowl and radiator lacings (installed with era fasteners—no pop rivets)	<u>2</u>	_____	_____
Firewall and engine pans (engine pans optional, no extra holes or cracks)	<u>2</u>	_____	_____
<b><u>TOTALS</u></b>	<b><u>40</u></b>	_____	_____

Team Captain signature: \_\_\_\_\_


**Deduction Codes for Modified Class**

**IA - Incorrect Assembly**  
**WS - Workmanship**  
**PM - Parts Missing**

**IP - Incorrect Part**  
**IF - Incorrect Finish**  
**RP - Reproduction Part**

**CC - Cleanliness/Condition**  
**OR - Over Restored**  
**WO - Working Order**





## Area 2 - Electrical System



**INCLUDES:** battery cable, starter, starter switch and rod, generator, cutout, terminal box, distributor, spark plugs, coil, ignition cable, all wiring, and electrical connectors. Plastic fuse holders are permitted as a safety item.

**DOES NOT INCLUDE:** lamps (correctness, plating, or working order), horn, instruments, electric wipers, starter rod button, or accessories.

**TOTAL POINTS:** 30

### GENERAL

Finish, workmanship, plating, materials and correctness should be foremost in judging. For authenticity of the various components judged here, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.

<u>ELECTRICAL SYSTEM</u>	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
Starter and switch (any pre 1939, fuse box is allowed)	<u>5</u>	<u>          </u>	<u>          </u>
Generator, cutout or alternator	<u>5</u>	<u>          </u>	<u>          </u>
Distributor (Model A or B, after market to 1939, 50% reduction in points for after 1939)	<u>5</u>	<u>          </u>	<u>          </u>
Battery & Cables	<u>3</u>	<u>          </u>	<u>          </u>
Spark plugs/Connectors	<u>3</u>	<u>          </u>	<u>          </u>
Coil	<u>1</u>	<u>          </u>	<u>          </u>
Ignition cable (Original or braided) – 50% reduction in points for plastic coated	<u>3</u>	<u>          </u>	<u>          </u>
Wiring, electrical connectors, terminal box (Wiring must be braided, 50% reduction in points for plastic coated)	<u>5</u>	<u>          </u>	<u>          </u>
<b><u>TOTALS</u></b>	<b><u>30</u></b>	<u>          </u>	<u>          </u>




Team Captain signature: \_\_\_\_\_

**Deduction Codes for Modified Class**

**IA - Incorrect Assembly**  
**WS - Workmanship**  
**PM - Parts Missing**

**IP - Incorrect Part**  
**IF - Incorrect Finish**  
**RP - Reproduction Part**

**CC - Cleanliness/Condition**  
**OR - Over Restored**  
**WO - Working Order**



Typical modern alternator (permitted for entry, but receives 0 points)



## Area 3 - Cooling System

INCLUDES: radiator, shroud (if any), era hoses and clamps, water pump, fan, fan belt, water inlet, and outlet castings.

DOES NOT INCLUDE: radiator cap, radiator shell, and accessories.

TOTAL POINTS: 15

### GENERAL

Finish, workmanship, plating, materials and correctness should be foremost in judging. Check to make sure that the proper "like kind" fasteners, wire ties and clamps are uniform and installed correctly, and there are no leaks. For authenticity of the various components judged in this area, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.

### COOLING SYSTEM

	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
Radiator and shroud (if any)	<u>5</u>	_____	_____
Hoses clamps and return pipe	<u>2</u>	_____	_____
Water pump (1928-1939, otherwise 0 pts.)	<u>3</u>	_____	_____
Fan (0 pts. If plastic)	<u>2</u>	_____	_____
Fan Belt (Must be wide as original v-belt, otherwise 0 pts.)	<u>1</u>	_____	_____
Water inlet and outlet castings	<u>1</u>	_____	_____
Radiator Mounting (bolts)	<u>1</u>	_____	_____
<b><u>TOTALS</u></b>	<b><u>15</u></b>	_____	_____


Team Captain signature: \_\_\_\_\_

### Deduction Codes for Modified Class

IA - Incorrect Assembly  
WS - Workmanship  
PM - Parts Missing

IP - Incorrect Part  
IF - Incorrect Finish  
RP - Reproduction Part

CC - Cleanliness/Condition  
OR - Over Restored  
WO - Working Order



## Area 4 - Undercarriage



**INCLUDES:** frame and cross members, axles, springs, radius rods, steering linkage, battery box, transmission, torque tube, running board and fender brackets, bumper arms and cross braces, flywheel housing, proper grease fittings, and underside of the body for correctness, finishes, etc.


**DOES NOT INCLUDE:** wheels, brake drums, backing plates, brake rods, brake cross shafts, spring hangers (shackles), shocks, exhaust system, running boards, or bumpers.

**TOTAL POINTS: 30**

### GENERAL

Make sure cotter pins are neatly installed where required, and loose fitting in linkages. Finish, workmanship, plating, materials and correctness should be foremost in judging. For authenticity of the various components judged in this area, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.

<u>UNDERCARRIAGE</u>	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
Frame and members (If not a Model A frame, 0 pts)	<u>5</u>	_____	_____
Axles and torque tube (Era overdrives like Borg-Warner, axles through 1939 like Columbia)	<u>5</u>	_____	_____
Underside of body (finishes, cleanliness)	<u>4</u>	_____	_____
Transmission and flywheel housing (Era through 1939. Automatic, 4 or 5 speed receive 0 points)	<u>3</u>	_____	_____
Steering linkage	<u>3</u>	_____	_____
Radius rods	<u>2</u>	_____	_____
Springs	<u>2</u>	_____	_____




**UNDERCARRIAGE**

	<b><u>MAX. PTS.</u></b>	<b><u>SCORE</u></b>	<b><u>CODE</u></b>
Battery box (Check for corrosion. If not under floor, 0 pts.)	<u>2</u>	<u>          </u>	<u>          </u>
Running board and fender brackets	<u>2</u>	<u>          </u>	<u>          </u>
Bumper arms and cross braces	<u>2</u>	<u>          </u>	<u>          </u>
<b><u>TOTALS</u></b>	<b><u>30</u></b>	<b><u>          </u></b>	<b><u>          </u></b>

Team Captain signature: \_\_\_\_\_





## Area 5 - Exhaust System



INCLUDES: exhaust manifold, gaskets, muffler with integral inlet and tail pipes, muffler inlet clamp, and muffler tail pipe bracket. Headers and 2 or 3 piece exhaust systems are allowed.

DOES NOT INCLUDE: any other parts of the engine.

TOTAL POINTS: 10

### GENERAL

Finish, workmanship, plating, materials and correctness should be foremost in judging. For authenticity of the various components judged in this area, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.

<u>EXHAUST SYSTEM</u>	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
Manifold or headers condition	<u>4</u>	<u>          </u>	<u>          </u>
Gaskets	<u>1</u>	<u>          </u>	<u>          </u>
Muffler, Model A style	<u>3</u>	<u>          </u>	<u>          </u>
Tail pipe and inlet clamps	<u>1</u>	<u>          </u>	<u>          </u>
All free from rust, welding and cracks	<u>1</u>	<u>          </u>	<u>          </u>
<b><u>TOTALS</u></b>	<b><u>10</u></b>	<u>          </u>	<u>          </u>


Team Captain signature: \_\_\_\_\_

### Deduction Codes for Modified Class

IA - Incorrect Assembly  
WS - Workmanship  
PM - Parts Missing

IP - Incorrect Part  
IF - Incorrect Finish  
RP - Reproduction Part

CC - Cleanliness/Condition  
OR - Over Restored  
WO - Working Order



## Area 6 - Instruments and Controls



**INCLUDES:** instrument panel, gas gauge, gas tank, ammeter, ignition switch and keys, speedometer, instrument panel lamp, gear shift and knob, emergency brake handle, and choke rod.

**DOES NOT INCLUDE:** steering column controls, wiper, accessory gauges, gas shutoff valve, window or door hardware, or top hardware of open cars.

**TOTAL POINTS:** 15

### GENERAL

Finish, workmanship, plating, materials and correctness should be foremost in judging. Check all instruments and controls for proper type, finish, condition, plating, and installation. Finish and workmanship should be foremost in judging. For authenticity of the instruments and controls, refer to the current Model A Restoration Guidelines and Judging Standards. Accessory gauges are allowed for oil pressure, and water temperature. A good reproduction item shall receive 50% of the points, but a modern item like a tach gauge will receive 0 points.

<u>INSTRUMENT PANEL</u>	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
Panel/gauges/lamp	<u>4</u>	_____	_____
Ignition switch and keys, Finishes/workmanship	<u>2</u>	_____	_____
 <b><u>HAND BRAKE</u></b>			
Authentic, Finishes/workmanship	<u>3</u>	_____	_____
 <b><u>GEAR SHIFT (UP TO 1939)</u></b>			
Authentic, Finishes/workmanship	<u>3</u>	_____	_____



**CHOKE ROD**

Authentic, Finish

3      \_\_\_\_\_

**TOTALS**

15      \_\_\_\_\_

Team Captain signature: \_\_\_\_\_

**Deduction Codes for Modified Class**

**IA - Incorrect Assembly**

**IP - Incorrect Part**

**CC - Cleanliness/Condition**

**WS - Workmanship**


**IF - Incorrect Finish**

**OR - Over Restored**

**PM - Parts Missing**

**RP - Reproduction Part**

**WO - Working Order**



## Area 7 - Brake System



**INCLUDES:** brake and clutch pedals, service and emergency brake cross shafts, backing plates, rods, actuating levers, drums, reinforcing bands (if any), and correctness. Hydraulic braking systems through 1948,

**DOES NOT INCLUDE:** emergency brake handle, stop light switch or light(s).

**TOTAL POINTS:** 15

### GENERAL

Finish and workmanship, including plating, should be foremost in judging. For authenticity of the various components judged here, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1948) will receive 0 points.

<u>BRAKE SYSTEM</u>	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
Brake and clutch pedals, including free travel	<u>5</u>	<u>          </u>	<u>          </u>
Backing plates, drums, reinforcing bands (Hydraulic Ford or Lincoln backing plates to 1948 are OK)	<u>5</u>	<u>          </u>	<u>          </u>
Service and emergency brake cross shafts	<u>3</u>	<u>          </u>	<u>          </u>
Rods, actuating levers	<u>2</u>	<u>          </u>	<u>          </u>
<b><u>TOTALS</u></b>	<b><u>15</u></b>	<b><u>          </u></b>	<b><u>          </u></b>

Team Captain signature: \_\_\_\_\_

### Deduction Codes for Modified Class

<b>IA - Incorrect Assembly</b>	<b>IP - Incorrect Part</b>	<b>CC - Cleanliness/Condition</b>
<b>WS - Workmanship</b>	<b>IF - Incorrect Finish</b>	<b>OR - Over Restored</b>
<b>PM - Parts Missing</b>	<b>RP - Reproduction Part</b>	<b>WO - Working Order</b>



## Area 8 - Steering Column

**INCLUDES:** steering housing, column, wheel, support bracket, light switch handle, horn button, throttle and spark rods.

**DOES NOT INCLUDE:** light switch assembly, pitman arm, or drag link.

**TOTAL POINTS:** 10

### GENERAL

Finish, workmanship, plating, materials and correctness should be foremost in judging. For authenticity of the various components judged here, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.

### STEERING COLUMN

	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
Steering column-original style (not shortened), boxes can be any pre-1939 or F-100 style and support bracket	<u>4</u>	_____	_____
Steering wheel & Steering play (any pre-1939 wheel) check for cracks – max play 2"	<u>3</u>	_____	_____
Spark and throttle rods, horn button, light switch handle, correct finish	<u>3</u>	_____	_____
<b><u>TOTALS</u></b>	<u>10</u>	_____	_____

Team Captain signature: \_\_\_\_\_

### Deduction Codes for Modified Class

**IA - Incorrect Assembly**  
**WS - Workmanship**  
**PM - Parts Missing**

**IP - Incorrect Part**  
**IF - Incorrect Finish**  
**RP - Reproduction Part**

**CC - Cleanliness/Condition**  
**OR - Over Restored**  
**WO - Working Order**



### Area 9 - Top

**INCLUDES:** top or roofs of cars (open and closed), covered visors where appropriate, top bows, top irons, landau irons, fasteners, hardware, and moldings.

**DOES NOT INCLUDE:** side curtains and painted visors.

Speedsters will receive full points if no top is present.

**TOTAL POINTS: 20**

### GENERAL

Finish, workmanship, plating, materials and correctness should be foremost in judging. For authenticity of the various components judged here, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.

<u>TOP</u>	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
Top appearance and fabric correctness for body style	<u>8</u>	_____	_____
Trim and edge binding correctness for body style	<u>3</u>	_____	_____
Roof mouldings and drip rails for closed cars	<u>4</u>	_____	_____
Landau irons for Sport Coupe and Cabriolet	<u>3</u>	_____	_____
Exterior visor – Covering same as top material	<u>2</u>	_____	_____
<i>Note: Full points for items not required for a body style</i>			
<b><u>TOTALS</u></b>	<b><u>20</u></b>	_____	_____



Team Captain signature: \_\_\_\_\_

**Deduction Codes for Modified Class**

**IA - Incorrect Assembly**  
**WS - Workmanship**  
**PM - Parts Missing**

**IP - Incorrect Part**  
**IF - Incorrect Finish**  
**RP - Reproduction Part**

**CC - Cleanliness/Condition**  
**OR - Over Restored**  
**WO - Working Order**



## Area 10 - Glass and Side Curtains



**INCLUDES:** windshield glass, door glass, quarter glass, rear windows (including the frame on open cars), window regulators, glass channels, wind wing glass, rear view mirror (brackets and glass), side curtains and fasteners.

**DOES NOT INCLUDE:** windshield or window frames, lights or light lenses.

**TOTAL POINTS:** 10

### GENERAL

Finish, workmanship, plating, materials and correctness should be foremost in judging. For authenticity of the various components judged here, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.

<u>GLASS</u>	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
All glass, including channels	<u>5</u>	_____	_____
Rear view mirror brackets and glass	<u>1</u>	_____	_____
Side curtains and fasteners.	<u>4</u>	_____	_____
<i>Note: Full points for items not required for a body style</i>			
<b><u>TOTALS</u></b>	<b><u>10</u></b>	_____	_____

Team Captain signature: \_\_\_\_\_

### Deduction Codes for Modified Class

**IA - Incorrect Assembly**  
**WS - Workmanship**  
**PM - Parts Missing**

**IP - Incorrect Part**  
**IF - Incorrect Finish**  
**RP - Reproduction Part**

**CC - Cleanliness/Condition**  
**OR - Over Restored**  
**WO - Working Order**



# Area 11 - Carpets and Mats

INCLUDES: carpets or mats in front and rear (if applicable), wood floorboards, door sills.

DOES NOT INCLUDE: carpet material on door panels or quarters, and the uncovered floor such as the rear compartment of Deliveries.

TOTAL POINTS: 10

### GENERAL

Finish, workmanship, plating, materials and correctness should be foremost in judging. For authenticity of the various components judged here, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.


<u>CARPET/MATS</u>	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
Carpet/mat (correct material for body style)	<u>5</u>	_____	_____
Floorboards	<u>3</u>	_____	_____
Door sills	<u>2</u>	_____	_____
<i>Note: Full points for items not required for a body style</i>			
<b><u>TOTALS</u></b>	<b><u>10</u></b>	_____	_____

Team Captain signature: \_\_\_\_\_

### Deduction Codes for Modified Class

- IA - Incorrect Assembly
- IP - Incorrect Part
- CC - Cleanliness/Condition
- WS - Workmanship
- IF - Incorrect Finish
- OR - Over Restored
- PM - Parts Missing
- RP - Reproduction Part
- WO - Working Order





## Area 12 - Interior Trim



**INCLUDES:** Front seat(s), rear seat or rumble seat, trunk compartment, cargo area of trucks, headliner, soft top interior, window shades, door panels, cowl and quarter panels, door check straps, rumble seat panels, interior window frames, sill and garnish moldings, windshield slide arms, door and window handles, escutcheons, and dome lamp.

**DOES NOT INCLUDE:** carpets, door sills, instruments or controls, glass, or top bows of open models as seen from the outside.

**TOTAL POINTS:** 50

### GENERAL

Correctness, fit, plating, and workmanship should be foremost in judging this area. Speedsters are given full points in the various areas if not applicable. For authenticity of the various components judged here, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.

	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
All seats (Era style), including rumble seat area, trunk compartment, and cargo area of trucks	<u>15</u>	_____	_____
Door, cowl, and rumble seat quarter panels	<u>10</u>	_____	_____
Headliner, soft top interior, window shades	<u>9</u>	_____	_____
Interior window frames	<u>5</u>	_____	_____
Door and window handles, escutcheons, and check straps	<u>5</u>	_____	_____
Sill and garnish moldings	<u>2</u>	_____	_____
Dome lamp	<u>2</u>	_____	_____



Windshield slide arms . 2 \_\_\_\_\_

*Note: Full points for items not required for a body style*

**TOTALS** 50 \_\_\_\_\_

Team Captain signature: \_\_\_\_\_

**Deduction Codes for Modified Class**

**IA - Incorrect Assembly**  
**WS - Workmanship**  
**PM - Parts Missing**

**IP - Incorrect Part**  
**IF - Incorrect Finish**  
**RP - Reproduction Part**

**CC - Cleanliness/Condition**  
**OR - Over Restored**  
**WO - Working Order**



Example of Speedster interior trim



### Area 13 - Sheet Metal

INCLUDES: all exterior, painted metal panels, including hood, visor, doors, body sections, fenders, running boards, splash shields, etc. and the welding, fasteners, markings, finishes, and workmanship on the panels.

DOES NOT INCLUDE: plated parts, firewall, underside of hood, underside of body, paint or striping, inside cargo area or bed (including equipment mounted thereon) of commercial vehicles.

TOTAL POINTS: 50

#### GENERAL

Correctness, quality, and workmanship should be foremost in judging this area. Dents, metal workmanship are judged here. Do not judge condition of paint here. Speedsters will receive full points for fenders, aprons, running boards, and doors if they do not have them. For authenticity of the various components judged here, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) and fiberglass parts will receive 0 points.

	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
Body, doors, trunk area- Check for dents, cracks, improper filler application. Fit, quality and workmanship are important.	<u>20</u>	_____	_____
Fenders, aprons, running boards. Fit, quality and workmanship are important. Speedsters without fenders, aprons, And/or running boards receive full points	<u>20</u>	_____	_____
Hood, hood hinges - Fit, quality and Workmanship are important.	<u>10</u>	_____	_____
<b><u>TOTALS</u></b>	<b><u>50</u></b>	_____	_____



Team Captain signature: \_\_\_\_\_

**Deduction Codes for Modified Class**

**IA - Incorrect Assembly**  
**WS - Workmanship**  
**PM - Parts Missing**

**IP - Incorrect Part**  
**IF - Incorrect Finish**  
**RP - Reproduction Part**

**CC - Cleanliness/Condition**  
**OR - Over Restored**  
**WO - Working Order**



Example sheet metal on sedan



Example sheet metal on speedster



### Area 14 - Paint and Stripe

**INCLUDES:** exterior paint on body, fenders, hood, aprons, visor, any other exterior parts such as running boards, radiator shell, finish on wood and metal hardware, wagons, commercial or other wooden bodies, and striping.


**DOES NOT INCLUDE:** wheels, undercarriage, firewall, or underside of body, on all vehicles, and bed or cargo area on commercial vehicles.

**TOTAL POINTS:** 35

#### GENERAL

Correctness, quality, and workmanship should be foremost in judging this area. Any Model A color from 1928-1931 is acceptable. If a non stock color is used, a variance must be required (i.e. a speedster is painted for sponsorship). Metallic paint will be given 0 points. Fendered cars must have black fenders. Speedsters will receive full points for fenders, aprons, and running boards if they do not have them. For authenticity of the various components judged here, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.

<u>PAINT</u>	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
Body - paint, quality and workmanship. Check for runs, "fisheyes", dirt, blisters, orange peel, and scratches	<u>15</u>	_____	_____
Fenders, aprons, running boards Painted black with welt installation and condition. Speedsters without fenders, aprons, running boards receive full points	<u>10</u>	_____	_____
Hood, hood seams, radiator shell (if commercial), finish on wood	<u>5</u>	_____	_____



**STRIPE**


Stripe – correct color, width, and location                      5                      \_\_\_\_\_

**TOTALS**                      35                      \_\_\_\_\_


Team Captain signature: \_\_\_\_\_

**Deduction Codes for Modified Class**

- |                                |                               |                                   |
|--------------------------------|-------------------------------|-----------------------------------|
| <b>IA - Incorrect Assembly</b> | <b>IP - Incorrect Part</b>    | <b>CC - Cleanliness/Condition</b> |
| <b>WS - Workmanship</b>        | <b>IF - Incorrect Finish</b>  | <b>OR - Over Restored</b>         |
| <b>PM - Parts Missing</b>      | <b>RP - Reproduction Part</b> | <b>WO - Working Order</b>         |



# Area 15 - Exterior Plating



**INCLUDES:** correctness, condition, plating and finish of all bright work **outside** the vehicle. Those items include bumpers, luggage racks, radiator shell (also painted commercial shells), door and deck handles, windshield frames (when appropriate), gas and radiator caps, cowl bands and lights, rumble step plates, top rests, lamp and horn conduits, and plating on head lights.

**DOES NOT INCLUDE:** correctness or plating of landau irons, rear curtain light frame, mirror brackets and glass, interior bright work, running board trim, accessories, wipers, hubcaps and tire valve hardware.

**TOTAL POINTS: 35**

## GENERAL

Finish, workmanship, plating, materials and correctness should be foremost in judging. For authenticity of the various components being judged in this area, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.

<u>EXTERIOR PLATING</u>	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
Headlights, tail lights	<u>5</u>	_____	_____
Bumpers and clamps	<u>5</u>	_____	_____
Radiator shell	<u>5</u>	_____	_____
Door and deck handles	<u>4</u>	_____	_____
Gas and radiator caps	<u>4</u>	_____	_____
Head, tail, and cowl conduits	<u>2</u>	_____	_____
Luggage rack	<u>2</u>	_____	_____
Windshield frame	<u>2</u>	_____	_____
Cowl band and lights	<u>2</u>	_____	_____



Rumble step plates 2 \_\_\_\_\_

Top rests 2 \_\_\_\_\_

*Note: Full points for items not required for a body style*

**TOTALS** 35 \_\_\_\_\_

Team Captain signature: \_\_\_\_\_

**Deduction Codes for Modified Class**

**IA - Incorrect Assembly**  
**WS - Workmanship**  
**PM - Parts Missing**

**IP - Incorrect Part**  
**IF - Incorrect Finish**  
**RP - Reproduction Part**

**CC - Cleanliness/Condition**  
**OR - Over Restored**  
**WO - Working Order**



### Area 16 - Accessories

In this area you will be judging pre-1939 items that were not part of the "stock" production Model A. They may include Moto-meters, seat covers, radiator caps, luggage rack, manifold heater, etc. Those accessories can be both Ford authorized, such as Fulton wind-wings, and Model A era dealer option accessories, such as fender step plates.

DOES NOT INCLUDE: normal variations of production models (such as fender step plates, welled fender(s), or safety items.

TOTAL POINTS: 5

#### GENERAL

Finish, workmanship, plating, materials and correctness should be foremost in judging. For authenticity of an accessory, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.

#### ACCESSORIES

#### MAX. PTS.

#### SCORE

#### CODE

Finish and Fit (Cars with no accessories are given full points)

5

\_\_\_\_\_

\_\_\_\_\_

**OR**

List of items judged: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

#### TOTALS

5

\_\_\_\_\_

\_\_\_\_\_

Team Captain signature: \_\_\_\_\_

#### Deduction Codes for Modified Class

- IA - Incorrect Assembly
- WS - Workmanship
- PM - Parts Missing

- IP - Incorrect Part
- IF - Incorrect Finish
- RP - Reproduction Part

- CC - Cleanliness/Condition
- OR - Over Restored
- WO - Working Order



## Area 18 - Lamps

**INCLUDES:** Cowl lamps, fender lamps, rear lamps, mounting bar, arms and brackets, lens condition and correctness, reflector plating and correctness.

**DOES NOT INCLUDE:** correctness of plating or finish of the lamps, light switch handle, correctness of wiring, instrument panel lamp, or dome lamp.

**TOTAL POINTS:** 15

### GENERAL

Finish, workmanship, plating, materials and correctness should be foremost in judging. For authenticity of the various components judged in this area, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.

<u>LAMPS</u>	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
All in working order	<u>5</u>	_____	_____
Correctness	<u>6</u>	_____	_____
Reflector condition	<u>2</u>	_____	_____
Mounting bar, arms, or brackets	<u>1</u>	_____	_____
License plate clamps	<u>1</u>	_____	_____
Bulb and switches(Area deleted--under Safety)	<u>0</u>	_____	_____
<b><u>TOTALS</u></b>	<b><u>15</u></b>	_____	_____


Team Captain signature: \_\_\_\_\_

### Deduction Codes for Modified Class

**IA - Incorrect Assembly**  
**WS - Workmanship**  
**PM - Parts Missing**

**IP - Incorrect Part**  
**IF - Incorrect Finish**  
**RP - Reproduction Part**

**CC - Cleanliness/Condition**  
**OR - Over Restored**  
**WO - Working Order**



## Area 19 - Horn

INCLUDES: Only the horn for correctness, working order, and finish.

DOES NOT INCLUDE: wire conduit, horn button, or wiring.

TOTAL POINTS: 10

### GENERAL

Finish, workmanship, plating, materials and correctness should be foremost in judging. For authenticity of a horn, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.

<u>HORN</u>	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
Horn (must look like a Model A horn)	<u>5</u>	_____	_____
Working order and finish	<u>5</u>	_____	_____
<b><u>TOTALS</u></b>	<b><u>10</u></b>	_____	_____

Team Captain signature: \_\_\_\_\_

### Deduction Codes for Modified Class

IA - Incorrect Assembly  
WS - Workmanship  
PM - Parts Missing

IP - Incorrect Part  
IF - Incorrect Finish  
RP - Reproduction Part

CC - Cleanliness/Condition  
OR - Over Restored  
WO - Working Order



### Area 20 - Windshield Wiper

INCLUDES: Hand, electric and vacuum wipers, arms, controls, correctness, working order, finish, and plating. In this area, speedsters shall receive full points if a wiper is not present and there is no mounting provision.

DOES NOT INCLUDE: vacuum line under hood

TOTAL POINTS: 10

For authenticity of the various components judged in this area, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.

<u>WIPER</u>	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
Type (Vacuum/electric for year of car)	<u>6</u>	_____	_____
Finish/workmanship	<u>3</u>	_____	_____
Arm/Blade	<u>1</u>	_____	_____
<b><u>TOTALS</u></b>	<b><u>10</u></b>	_____	_____

Team Captain signature: \_\_\_\_\_


#### Deduction Codes for Modified Class

IA - Incorrect Assembly  
WS - Workmanship  
PM - Parts Missing

IP - Incorrect Part  
IF - Incorrect Finish  
RP - Reproduction Part

CC - Cleanliness/Condition  
OR - Over Restored  
WO - Working Order






## Area 21 - Start/Idle/Functional Test of Equipment

In this area, you are not judging the individual correctness of the car, but whether it starts, idles, and is ready to operate on the road. The car should start quickly with no hesitation. When revved up, there should be no "dead" spot. The engine RPM should advance smoothly and quickly. Retard the spark, if original distributor, and check for engine smoothness. The tail pipe should not show evidence of oil burning or running too rich. There should be no wobbly pulleys, water or oil leaks. The engine should not knock at any time, and the AMP gauge should show a positive charge rate.

All items listed should be in good working order

TOTAL POINTS: 25

<u>ENGINE</u>	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
Engine RPM/smooth when retarded, no knock or "dead" spot	<u>5</u>	_____	_____
Wobbly pulleys/fan belt cracks	<u>2</u>	_____	_____
No oil blow-by, or leaking hoses	<u>2</u>	_____	_____
AMP gauge properly working	<u>1</u>	_____	_____
<b><u>FUNCTIONAL TEST OF EQUIPMENT</u></b>			
All lights in working order	<u>5</u>	_____	_____
Safety Glass, working wiper and good blade	<u>3</u>	_____	_____
Serviceable condition of wiring	<u>3</u>	_____	_____
Emergency Brake holds/brake pedal travel	<u>2</u>	_____	_____



Horn	<u>1</u>	<u>          </u>	<u>          </u>
Loose battery	<u>1</u>	<u>          </u>	<u>          </u>
<b><u>TOTALS</u></b>	<b><u>25</u></b>	<u>          </u>	<u>          </u>

Team Captain signature: \_\_\_\_\_

**Deduction Codes for Modified Class**

**IA - Incorrect Assembly**  
**WS - Workmanship**  
**PM - Parts Missing**

**IP - Incorrect Part**  
**IF - Incorrect Finish**  
**RP - Reproduction Part**

**CC - Cleanliness/Condition**  
**OR - Over Restored**  
**WO - Working Order**



# Area 22 - Wheels, Tires, and Valve Stems



INCLUDES: wheels, tires, tire valve hardware, hub cap, lug nuts, and spare tire carrier. Era wheels must be 1935 or earlier, including wire, wood-spokes, disc, and "jumbos". They must all match. No reverse rims or mag wheels are acceptable. Check for condition, workmanship, plating, paint finish, and wheel color.


TOTAL POINTS: 35

### GENERAL

For authenticity of the various components judged in this area, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.

<u>WHEELS</u>	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
Wheels, up to and including 1935	<u>8</u>	<u>          </u>	<u>          </u>
Tires, matching, wear and condition	<u>6</u>	<u>          </u>	<u>          </u>
Hubcaps and lug nuts	<u>6</u>	<u>          </u>	<u>          </u>
Tire valve hardware (can be rubber stems)	<u>5</u>	<u>          </u>	<u>          </u>
Alignment, valve to hubcap (forming a T)	<u>5</u>	<u>          </u>	<u>          </u>
Spare wheel carrier, color and correctness	<u>5</u>	<u>          </u>	<u>          </u>
<b><u>TOTALS</u></b>	<b><u>35</u></b>	<u>          </u>	<u>          </u>

Team Captain signature: \_\_\_\_\_



**Deduction Codes for Modified Class**


**IA - Incorrect Assembly**  
**WS - Workmanship**  
**PM - Parts Missing**

**IP - Incorrect Part**  
**IF - Incorrect Finish**  
**RP - Reproduction Part**

**CC - Cleanliness/Condition**  
**OR - Over Restored**  
**WO - Working Order**

Typical "Jumbo" wheel





## Area 23 - Shocks and Shackles



INCLUDES: shock bodies, mounting bolts, arms, links, spring shackles and fittings. Shocks may be friction type or hydraulic; no tube-type shocks permitted.

DOES NOT INCLUDE: any other parts of the suspension or undercarriage.

TOTAL POINTS: 20

### GENERAL

Finish, workmanship, plating, materials and correctness should be foremost in judging. For authenticity of the various components judged in this area, refer to the current Model A Restoration Guidelines and Judging Standards. A good reproduction part shall receive 50% of the points for that item, but a modern part (after 1939) will receive 0 points.

### SHOCKS

	<u>MAX. PTS.</u>	<u>SCORE</u>	<u>CODE</u>
Shock bodies (no tube type shocks, and all Matching)	<u>7</u>	_____	_____
Shock arms	<u>4</u>	_____	_____
Shock links	<u>3</u>	_____	_____

### SHACKLES

Shackles and fittings,	<u>6</u>	_____	_____
<b><u>TOTALS</u></b>	<b><u>20</u></b>	_____	_____


Team Captain signature: \_\_\_\_\_

### Deduction Codes for Modified Class

IA - Incorrect Assembly  
WS - Workmanship  
PM - Parts Missing

IP - Incorrect Part  
IF - Incorrect Finish  
RP - Reproduction Part

CC - Cleanliness/Condition  
OR - Over Restored  
WO - Working Order



## Area 24 - Overall Appearance and Stance



In this area, walk all around the car and look from all sides for symmetry and appearance. Are the front and back bumpers parallel to the ground? Does the body lean to one side, possibly needing a larger body block, sagging springs or worn shackles? You are not looking at individual body part's fit in this area, but general overall appearance of how the car stands.

TOTAL POINTS: 5

### APPEARANCE

Body appears straight, not leaning

MAX. PTS.

3

SCORE

\_\_\_\_\_

CODE

\_\_\_\_\_

Bumpers are parallel to the ground

2

\_\_\_\_\_

\_\_\_\_\_

TOTALS

5

\_\_\_\_\_

Team Captain signature: \_\_\_\_\_

### Deduction Codes for Modified Class

IA - Incorrect Assembly

IP - Incorrect Part

CC - Cleanliness/Condition

WS - Workmanship

IF - Incorrect Finish

OR - Over Restored

PM - Parts Missing

RP - Reproduction Part

WO - Working Order

